
1. Convert the angle 160° to radians.

Practice Problems for Trig Exam

- 2. Convert the angle $\frac{\pi}{18}$ to degrees.
- 3. Find an angle between 0 and 2π that is coterminal to $-\frac{19\pi}{7}$.
- 4. Find the reference angle of $-\frac{19\pi}{7}$.
- 5. If θ is an angle such that $\sin(\theta) < 0$ and $\tan(\theta) > 0$, in what quadrant must θ lie?
- 6. Find the terminal point on the unit circle determined by $t = \frac{\pi}{6}$.
- 7. A circle with radius 3 has a sector with area 6π . Find the length of the arc surrounding this sector.
- 8. What is the domain of the function $f(x) = \sin^{-1}(x)$?
- 9. What is the range of the function $f(x) = \cos^{-1}(x)$?
- 10. What is the range of the function $f(x) = \tan^{-1}(x)$?
- 11. What is the amplitude of the function $f(x) = 3\cos(7x 2) + 5$?
- 12. What is the period of the function $f(x) = 3\cos(7x 2) + 5$?

The following questions are based on a triangle of this form:



13. If b = 3 and c = 4, find a.

14. If a = 5 and c = 7, find $\tan \theta$.

15. If a=4 and $\theta=45^{\circ}$, find c.

16. If b = 1 and c = 2, find the value of θ .

17. If b = 1 and c = 3, find the area of the triangle.

In these problems, you are given three parts of an oblique triangle, where side a is opposite angle A, side b is opposite angle B, and side c is opposite angle C. In each problem, follow the instructions to give the desired information.

18. Suppose that $A = 30^{\circ}$, $C = 80^{\circ}$, and b = 10. Find the length of side a.

19. Suppose that $A=40^{\circ}$, $B=70^{\circ}$, and a=2. Find the length of side b.


20. Suppose that a = 8, b = 10, and c = 12. Find the measure of angle A.

21. Suppose that $A = 120^{\circ}$, b = 8, c = 2. Find the length of side a.

22. Suppose that $A=35^{\circ}$, b=2, c=7. Find the area of the triangle.

23. Suppose that $A=25^{\circ},~a=12,$ and c=23. How many possible solutions are there to this triangle?

24. On the grid below, sketch the graphs of $f(x) = 2\sin(x)$ and $g(x) = \cos(x) - 1$.



- 25. Review what the graphs of tan(x), cot(x), sec(x), and csc(x) look like. (For example, redo the graph-matching problem from Exam 3.)
- 26. Consider each of the following angles, expressed with inverse trig functions. Determine the quadrant of each angle.

 (a) $\sin^{-1}(-\frac{2}{3})$
 - (b) $\tan^{-1}(-\frac{2}{3})$
 - (c) $\cos^{-1}(-\frac{2}{3})$

27. For each of the following, find the exact value of the expression (that is, a rounded answer from your calculator will NOT be good enough).

(a)
$$\sin^{-1}\left(\sin\left(\frac{2\pi}{3}\right)\right)$$

- (b) $\tan(\tan^{-1}(-4))$
- $(c) \csc(\sin^{-1}(0))$
- (d) $\sin(\tan^{-1}(-1))$
- 28. Verify the identity $(1 \tan x)(1 \cot x) = 2 \sec x \csc x$.
- 29. Verify the identity $\frac{\sin 2x}{\sin x} \frac{\cos 2x}{\cos x} = \sec x$.
- 30. Verify the identity $(\cos x + \cos y)^2 + (\sin x \sin y)^2 = 2 + 2\cos(x + y)$.
- 31. Use a half-angle formula to find the exact value of $\tan(15^{\circ})$. (A rounded answer from your calculator will NOT be good enough.)
- 32. Use a half-angle formula to find the exact value of $\sin\left(\frac{\pi}{8}\right)$. (A rounded answer from your calculator will NOT be good enough.)
- 33. Write the expression $\csc(\tan^{-1} x)$ as an algebraic expression in terms of x.
- 34. Write the expression $\tan(\cos^{-1} x)$ as an algebraic expression in terms of x.
- 35. Write the expression $\cos(\sin^{-1} x + \cos^{-1} y)$ as an algebraic expression in terms of x and y.
- 36. Write the expression $\sin(2\tan^{-1}x)$ as an algebraic expression in terms of x.

- 37. Solve the equation $4\cos\theta = 1$.
- 38. Solve the equation $\cos \theta \sin \theta \cos \theta = 0$.
- 39. Solve the equation $tan(3\theta) = 5$
- 40. Solve the equation $\sin \theta = \cos 2\theta$.
- 41. Let z = 1 + i, let $w = 1 \sqrt{3}i$. (a) Write z and w in polar form.
 - (b) Compute zw.
 - (c) Compute $(zw)^7$.
 - (d) Compute $\frac{z^2}{w^3}$.
- 42. Consider the point $P=(-\sqrt{6},\sqrt{2})$ in rectangular coordinates. Convert P to polar coordinates.
- 43. Consider the point $Q=(3,\pi/6)$ in polar coordinates. Convert Q to rectangular coordinates.
- 44. Using the variables x and y, convert the polar equation $r = 6 \sec \theta$ to rectangular coordinates.
- 45. Using the variables x and y, convert the polar equation $r = 2\cos\theta$ to rectangular coordinates.
- 46. Using the variables x and y, convert the polar equation $r = 1 + \cos \theta$ to rectangular coordinates.

47.	Consider the vector $\mathbf{v} = \langle 7, -2 \rangle$, and let \mathbf{u} be the vector with magnitude $\sqrt{8}$ and direction 135°. (a) Write \mathbf{v} in terms of \mathbf{i} and \mathbf{j} .
	(b) Compute the magnitude of \mathbf{v} .
	(c) Compute the direction of \mathbf{v} .
	(d) Write \mathbf{u} in component form.
	(e) Compute the dot product $\mathbf{u} \cdot \mathbf{v}$.
	(f) Compute the angle between ${\bf u}$ and ${\bf v}$.
	(g) Compute the vector $9\mathbf{u} + 4\mathbf{v}$ in component form.
	(h) Determine whether $9\mathbf{u} + 4\mathbf{v}$ is orthogonal to \mathbf{u} .
	(i) Calculate the component of ${\bf u}$ along ${\bf v}$.
	(j) Calculate the projection of ${\bf u}$ onto ${\bf v},$ proj $_{\bf v}{\bf u}.$
48.	To estimate the height of a mountain above a level plain, the angle of elevation to the top of the mountain is measured to be 32°. One thousand feet closer to the mountain along the plain, it is found that the angle of elevation is 35°. Find the height of the mountain, to the nearest foot.
49.	A 96-ft tree casts a shadow that is 120 ft long. What is the angle of elevation of the sun?
50.	The Leaning Tower of Pisa leans 5.6° from the vertical. A tourist stands 105 m from its base with the tower leaning directly towards her. She measures the angle of elevation to the top of the tower to be 29.2° . Find the length of the tower, to the nearest meter.
51.	A lawn mower is pushed a distance of 200 ft along a horizontal path by a constant force of 50 lb. The handle of the lawn mower is at an angle of 30° from the horizontal. Find the work

done.