Name:			
	Last	First	MI

## Chemistry 233-002 Exam 3

Fall 2016 Dr. J. Osbourn

<u>Instructions:</u> This exam contains two parts: a multiple-choice section and a completion section. The first 11 multiple-choice questions should be answered on the provided Scantron. You should also circle your multiple-choice answers on the exam itself. The remaining 3 pages of the exam is a completion section. Answer these questions on the exam itself. Show all work and provide complete explanations. If you tend to doodle on your exam or have multiple possibilities drawn, circle the answer that you want graded.

Fall 2017 Note: Highlighted Questions do not pertain to exam 3 material.

## The Periodic Table

1 IA																	18 VIIIA
1 <b>H</b>	2											13	14	15	16	17	He l
1.01	IIA											IIIA	IVA	VA	VIA	VIIA	4.00
3	4											5	6	7	8	9	10
Li	Be											В	$\mathbf{C}$	N	О	F	Ne
6.94	9.01											10.81	12.01	14.01	16.00	19.00	20.18
11	12										100	13	14	15	16	17	18
Na	Mg	3	4	5	6	7	8	9	10	11	12	Al	Si	P	S	Cl	Ar
22.99	24.31	IIIB	IVB	VB	VIB	VIIB		VIIIB		IB	ΙΒ	26.98	28.09	30.97	32.07	35.45	39.95
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
39.1	40.08	44.96	47.88	50.94	52.00	54.94	55.85	58.93	58.69	63,55	65.39	69,72	72.61	74.92	78.96	79.90	83.80
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
			04.00	92.91	95.94	(98)	101.07	102.91	106.42	107.87	112.41	114.82	118.71	121.76	127.6	126.9	131.29
85.47	87.62	88.91	91.22	92.91	73.74	(98)	101.07	102.91	100.42	107.07	112.71	117.02	110.71	121.70	CONTRACTOR OF THE PARTY OF THE		
85.47 55	87.62 56	57	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
														83 <b>Bi</b>	84 <b>Po</b>	85 <b>At</b>	86 <b>Rn</b>
55	56	57	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
55 <b>Cs</b>	56 <b>Ba</b>	57 <b>La*</b>	72 <b>Hf</b> 178.5 104	73 <b>Ta</b>	74 <b>W</b> 183.9 106	75 <b>Re</b>	76 <b>Os</b>	77 <b>Ir</b> 192,2 109	78 <b>Pt</b>	79 <b>Au</b> 197.0	80 <b>Hg</b>	81 <b>Tl</b>	82 <b>Pb</b>	83 <b>Bi</b>	84 <b>Po</b>	85 <b>At</b>	86 <b>Rn</b>
55 <b>Cs</b> 132.9	56 <b>Ba</b> 137.3	57 <b>La*</b> 138.9	72 <b>Hf</b> 178.5	73 <b>Ta</b> 180.9	74 <b>W</b> 183.9 106	75 <b>Re</b> 186.2	76 <b>Os</b> 190.2	77 <b>Ir</b> 192,2	78 <b>Pt</b> 195.1	79 <b>Au</b> 197.0	80 <b>Hg</b>	81 <b>Tl</b>	82 <b>Pb</b>	83 <b>Bi</b>	84 <b>Po</b>	85 <b>At</b>	86 <b>Rn</b>
55 <b>Cs</b> 132.9 87	56 <b>Ba</b> 137.3 88	57 <b>La*</b> 138.9 89	72 <b>Hf</b> 178.5 104	73 <b>Ta</b> 180.9	74 <b>W</b> 183.9	75 <b>Re</b> 186.2	76 Os 190.2 108	77 <b>Ir</b> 192,2 109	78 Pt 195.1 110	79 <b>Au</b> 197.0	80 <b>Hg</b>	81 <b>Tl</b>	82 <b>Pb</b>	83 <b>Bi</b>	84 <b>Po</b>	85 <b>At</b>	86 <b>Rn</b>
55 Cs 132.9 87 Fr	56 <b>Ba</b> 137.3 88 <b>Ra</b>	57 <b>La*</b> 138.9 89 <b>Ac^</b>	72 <b>Hf</b> 178.5 104 <b>Rf</b>	73 Ta 180.9 105 <b>Db</b>	74 W 183.9 106 Sg	75 Re 186.2 107 Bh	76 Os 190.2 108 Hs	77 Ir 192,2 109 Mt	78 Pt 195.1 110 Ds	79 Au 197.0 111 Rg	80 <b>Hg</b>	81 <b>Tl</b>	82 <b>Pb</b>	83 <b>Bi</b>	84 <b>Po</b>	85 <b>At</b>	86 <b>Rn</b>
55 Cs 132.9 87 Fr	56 <b>Ba</b> 137.3 88 <b>Ra</b>	57 <b>La*</b> 138.9 89 <b>Ac^</b>	72 <b>Hf</b> 178.5 104 <b>Rf</b> (261)	73 <b>Ta</b> 180.9 105 <b>Db</b> (262)	74 W 183.9 106 Sg (263)	75 Re 186.2 107 Bh (264)	76 Os 190.2 108 Hs (265)	77 Ir 192.2 109 Mt (268)	78 Pt 195.1 110 Ds (271)	79 Au 197.0 111 <b>Rg</b> (272)	80 <b>Hg</b> 200.6	81 <b>Tl</b> 204.4	82 <b>Pb</b>	83 <b>Bi</b>	84 <b>Po</b>	85 <b>At</b> (210)	86 <b>Rn</b>
55 Cs 132.9 87 Fr	56 <b>Ba</b> 137.3 88 <b>Ra</b>	57 <b>La*</b> 138.9 89 <b>Ac^</b>	72 Hf 178.5 104 Rf (261)	73 <b>Ta</b> 180.9 105 <b>Db</b> (262)	74 W 183.9 106 Sg (263)	75 Re 186.2 107 Bh (264)	76 Os 190.2 108 Hs (265)	77 Ir 192.2 109 Mt (268)	78 Pt 195.1 110 Ds (271)	79 Au 197.0 111 <b>Rg</b> (272)	80 <b>Hg</b> 200.6	81 Tl 204.4	82 <b>Pb</b> 207.2	83 <b>Bi</b> 209	84 Po (209)	85 <b>At</b> (210)	86 <b>Rn</b>
55 Cs 132.9 87 Fr	56 <b>Ba</b> 137.3 88 <b>Ra</b>	57 <b>La*</b> 138.9 89 <b>Ac^</b> (227)	72 Hf 178.5 104 Rf (261) 58 Ce	73 <b>Ta</b> 180.9 105 <b>Db</b> (262) 59 <b>Pr</b>	74 W 183.9 106 Sg (263)	75 Re 186.2 107 Bh (264)	76 Os 190.2 108 Hs (265)	77 Ir 192,2 109 Mt (268)	78 Pt 195.1 110 Ds (271) 64 Gd	79 Au 197.0 111 Rg (272) 65 Tb	80 Hg 200.6	81 Tl 204.4	82 Pb 207.2	83 <b>Bi</b> 209 69 <b>Tm</b>	84 Po (209)	85 At (210)	86 <b>Rn</b>
55 Cs 132.9 87 Fr	56 <b>Ba</b> 137.3 88 <b>Ra</b>	57 <b>La*</b> 138.9 89 <b>Ac^</b> (227)	72 Hf 178.5 104 Rf (261)	73 <b>Ta</b> 180.9 105 <b>Db</b> (262)	74 W 183.9 106 Sg (263)	75 Re 186.2 107 Bh (264)	76 Os 190.2 108 Hs (265)	77 Ir 192.2 109 Mt (268)	78 Pt 195.1 110 Ds (271)	79 Au 197.0 111 <b>Rg</b> (272)	80 <b>Hg</b> 200.6	81 Tl 204.4	82 <b>Pb</b> 207.2	83 <b>Bi</b> 209	84 Po (209)	85 <b>At</b> (210)	86 <b>Rn</b>
55 Cs 132.9 87 Fr	56 <b>Ba</b> 137.3 88 <b>Ra</b>	57 <b>La*</b> 138.9 89 <b>Ac^</b> (227)	72 Hf 178.5 104 Rf (261) 58 Ce 140.1	73 <b>Ta</b> 180.9 105 <b>Db</b> (262) 59 <b>Pr</b> 140.9	74 W 183.9 106 Sg (263) 60 Nd 144.2	75 Re 186.2 107 Bh (264) 61 Pm (145)	76 Os 190.2 108 Hs (265)	77 Ir 192,2 109 Mt (268) 63 Eu 152.0	78 Pt 195.1 110 Ds (271) 64 Gd 157.3	79 Au 197.0 111 Rg (272) 65 Tb 158.9	80 Hg 200.6	81 Tl 204.4 67 <b>Ho</b> 164.9	82 Pb 207.2 68 Er 167.3	83 <b>Bi</b> 209 <b>Tm</b> 168.9	70 Yb 173.0	85 At (210)	86 <b>Rn</b>

<sup>\*\*</sup>Please do not rip off this exam cover page\*\*

Name:			
	Last	First	MI


Grading Page: Exam 3

Page	Points Possible	Points Earned
Multiple Choice (3-5)	22	
6	29	
7	24	
8	25 + 1	
TOTAL	100	

## **Multiple-Choice**

Choose the one best answer for each of the following questions. Record each answer on the provided Scantron sheet. (2 points each)

1. Rank the radical species below in order of increasing stability.



- a. I < II < III
- b. II < III < I
- c. II < I < III
- d. II < I = III
- e. It is not possible to determine

2. How many different mono-chlorination products are possible when the compound below is subjected to Cl<sub>2</sub>/hv? *Only consider the number of constitutional isomers, not stereoisomers.* 




- a. 2
- b. 4
- c. 5
- d. 6
- e. 8

3. The two indicated protons in the molecule below are:




- a. Enantiotopic
- b. Diastereotopic
- c. Homotopic
- d. Heterotopic

4. In the molecule shown below, proton \_\_\_\_ is the most shielded while proton \_\_\_\_ is the most deshielded.



- a. A, B
- b. D, B
- c. B, D
- d. D, C
- e. B, A

- 5. Which one of the following statements is **false**?
  - a. A carbocation intermediate is not present in the hydroboration-oxidation of alkenes.
  - b. In the hydroboration step, the H and B (BH<sub>2</sub>) add syn across the double bond.
  - c. Hydroboration-oxidation follows anti-Markovnikov addition.
  - d. Only 1/3 mole of  $BH_3$  is required to react with 1 mole of alkene.
  - e. None of the above statements are false.
- 6. Which one of the following compounds corresponds to the NMR spectrum shown below?



7. What is the common name for the compound shown below?




- a. tert-butylethylene
- b. neopentylethylene
- c. neopentlyacetylene
- d. *tert*-butylacetylene
- e. tert-butylethyne
- 8. How would you best classify the transformation shown below?


$$\begin{array}{c|c} & CI_2 & CI \\ \hline & CI \\ \hline & CI \\ \hline \end{array}$$

- a. Oxidation
- b. Reduction
- c. Neither


9. Which molecule below will undergo hydrogenation at the fastest rate?




10. Which one of the indicated hydrogen is most readily abstracted in a free radical halogenation reaction?



11. Which reagent shown below could be used to accomplish the following transformation?






## **Completion Section**

Answer the remaining questions in the spaces provided.

12. Provide the IUPAC name for each compound shown below. (2 points each)

13. Fill in the missing reagents and structures in the synthetic scheme shown below. (2 points each)



14. Predict the product and show the complete electron pushing mechanism for the reaction shown below. (7 points)

$$\begin{array}{c} Cl_2 \\ \hline \\ H_2O \end{array}$$

15. Draw the tautomer for each compound shown below. (2 points each)

16. Predict the major organic product(s) for each reaction shown below. Show stereochemistry where appropriate. If enantiomers are formed, you only need to draw one enantiomer. (2 points each) Skip b, d(step 2), e

b. 
$$\frac{1. O_3}{2. DMS}$$

c. 
$$\qquad \qquad \begin{array}{c} \begin{array}{c} \\ \\ \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array} \end{array} \begin{array}{c} \\ \end{array}$$

d. 
$$H_2$$
  $OsO_4$   $NMO, H_2O$ 

f. 
$$\rightarrow H \xrightarrow{HgSO_4} H_2SO_4, H_2O$$

17. Predict the major product and draw the electron pushing mechanism for the allylic bromination shown below. You do not need to show how Br<sub>2</sub> is formed from NBS. (8 points) Hint: resonance!

**Initiation:** 

**Propagation:** 


**Termination:** (just show one possibility)

18. For the compound shown below, predict the multiplicity (i.e. s,d,t, etc.) for each indicated proton. (5 points)

$$0 H H H H$$

$$\rightarrow H_3C CH_3$$

19. Draw a representative 1H NMR spectrum for the compound shown below. Be sure to show correct splitting, integration values, and label each signal with the corresponding proton (i.e. a). (6 points)



20. For each compound below: **a.** Circle the proton(s) that you would expect to be the most downfield (you may need to draw in the protons). **b.** Determine the number of distinct protons in each structure. (3 points each)

21. Draw two additional resonance structures for the radical shown below. (2 points)

22. Draw representative structures for each of the following: (1 point each) Skip vinyl radical and NBS

vinyl radical	allylic bromide	carbene	NBS (+1 bonus)