Name: \_

Last

First

MI

Dr. J. Osbourn

# Chemistry 234 Exam 2

#### Fall 2017

*Instructions:* The first 23 questions of this exam should be answered on the provided Scantron. You must use a pencil for filling in the Scantron sheet. Ensure all erasures are complete. Any questions left blank will be marked incorrect. Answer the remaining questions on the exam itself. Show all work and provide complete explanations.

## Please write your name on:

- The first page (Exam Cover Page)
- The second page (Grading Page)
- The Scantron Sheet Circle your Last Name

#### Please bubble in your WVU Student ID Number on your Scantron sheet.

1																	18
Ĥ	2											13	14	15	16	17	He
1.01	IIA											IIIA	IVA	VA	VIA	VIIA	4.00
3	4											5	6	7	8	9	10
Li	Be											В	С	Ν	0	F	Ne
6.94	9.01											10.81	12.01	14.01	16.00	19.00	20.18
11	12											13	14	15	16	17	18
Na	Mg	3	4	5	6	7	8	9	10	11	12	Al	Si	Р	S	Cl	Ar
22.99	24.31	IIIB	IVB	VB	VIB	VIIB		VIIIB		IB	IIB	26.98	28.09	30.97	32.07	35.45	39.95
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
39.1	40.08	44.96	47.88	50.94	52.00	54.94	55.85	58.93	58.69	63,55	65.39	69.72	72.61	74.92	78.96	79.90	83.80
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Y	Zr	Nb	Mo	Te	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
85.47	87.62	88.91	91.22	92.91	95.94	(98)	101.07	102.91	106.42	107.87	112.41	114.82	118.71	121.76	127.6	126.9	131.29
55	56	57	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	La*	Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
132.9	137.3	138.9	178.5	180.9	183.9	186.2	190.2	192.2	195.1	197.0	200.6	204.4	207.2	209	(209)	(210)	(222)
87	88	89	104	105	106	107	108	109	110	111							
Fr	Ra	Ac^	Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg							
(223)	(226)	(227)	(261)	(262)	(263)	(264)	(265)	(268)	(271)	(272)							

## The Periodic Table

	58	59	60	61	62	63	64	65	66	67	68	69	70	71
*	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu
	140.1	140.9	144.2	(145)	150.4	152.0	157.3	158.9	162.5	164.9	167.3	168.9	173.0	175.0
	90	91	92	93	94	95	96	97	98	99	100	101	102	103
^	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
	232.0	(231)	238.0	(237)	(244)	(243)	(247)	(247)	(251)	(252)	(257)	(258)	(259)	(260)

#### **Diazonium Ion Displacement Reactions**



## \*Please do not rip off this cover sheet\*

Name: \_\_\_\_

Last

First

MI

Grading Page (Exam 2):

Page	Points Possible	Points Earned				
Multiple Choice (3-7)	46					
8	28					
9	26					
TOTAL	100					

#### **Multiple Choice**

Choose the one best answer for each of the following questions. Bubble your answer in on the provided Scantron sheet. Additionally, circle your answer directly on the exam so that you can check your answers once the key is posted.

1. Which aromatic compound shown below will undergo electrophilic nitration at the fastest rate?



2. Compound \_\_\_\_\_ is an allylic alcohol and compound \_\_\_\_\_ is a secondary alcohol.



- e. III, IV
- 3. Which set of reagents can be used to accomplish the following transformation?



4. What is the major product of the Heck reaction shown below?



5. In the DIBAL-H reduction of the ester shown below, which of the following species is an <u>intermediate</u> in the reaction pathway?



6. What is/are the major product(s) in the reaction shown below?



- 7. Which organometallic reagent shown below would you expect to be the <u>most</u> reactive?
  - a. (CH<sub>3</sub>)<sub>2</sub>CuLi
  - b. CH<sub>3</sub>MgBr
  - c. CH<sub>3</sub>Li
  - d. It is not possible to determine
- 8. Which benzoic acid derivative would you expect to be the <u>least</u> acidic?



- 9. Which statement below is correct regarding pain killing drugs?
  - a. Opoids target the  $\mu$ -receptor in the brain.
  - b. NSAIDS work by inhibiting the synthesis of prostaglandins.
  - c. Naloxone is a  $\mu$ -receptor antagonist it binds to the receptor, but does not activate it.
  - d. Morphine was originally isolated from the opium poppy.
  - e. All of the above statements are correct.

10. What is/are the major product(s) of the electrophilic aromatic substitution reaction shown below?



- c. II and IV
- d. I, II, and IV
- e. II, III, and IV

11. Rank the compounds shown below in order of <u>increasing</u> boiling point.



12. What reagents are required to carry out the following transformation?



13. Which of the following is cyanide's major route of toxicity?

- a. It binds to the iron in the blood, which inhibits the ability of oxygen to bind.
- b. It shuts down glycolysis by inhibiting lactic acid synthesis.
- c. It binds to the lining of the lungs preventing the absorption of oxygen into the bloodstream.
- d. It over stimulates the electron transport chain leading to the production of a toxic amount of lactic acid in the body.

14. What is the expected product of the following reaction?



15. Which compound shown below will <u>not</u> undergo the following nucleophilic aromatic substitution reaction?



16. What is the major product of the following intramolecular Heck reaction?



17. Which compound below would you expect to be the most basic?



For questions 18-23, select the appropriate reagent from the reagent bank to accomplish each step in the synthetic sequence below. You can only use each reagent once. *Note that some answers may require you to bubble in more than one letter.* **Record each answer on your Scranton sheet!** 



**Completion Section:** Answer the remaining questions on the exam itself. Read the questions carefully and provide complete explanations.

24. Provide the IUPAC name for each compound shown below. (3 points each)



25. Predict the major organic product(s) for each reaction below. *Note: some questions have multiple steps associated with them. (2 points each)* 



26. Provide the necessary starting materials to prepare the product below using a Heck reaction and a Suzuki reaction. *(6 points)* 



27. Predict the product and show the complete electron pushing mechanism for the reaction below. (*2 points – product; 5 points - mechanism*)



28. Provide a valid synthesis for the di-substituted benzene shown below starting with benzene. Each step should take place without the formation of multiple isomers. *(5 points)* 



29. Fill in the missing structures and reagents in the synthetic scheme shown below. (14 points)

