Name:		
Last	First	MI

## Chemistry 233-001 Exam 2

Spring 2017 Dr. J. Osbourn

<u>Instructions:</u> The first 15 questions of this exam should be answered on the provided Scantron. You must use a pencil for filling in the Scantron sheet. Ensure all erasures are complete. Any questions left blank will be marked incorrect. Any question with multiple answers selected will be marked incorrect. Answer the remaining questions on the exam itself. Show all work and provide complete explanations.

#### Please write your name on:

- The first page (Exam Cover Page)
- The second page (Grading Page)
- The Scantron Sheet Circle your Last Name

Please bubble in your WVU Student ID Number on your Scantron sheet.

#### The Periodic Table

1 IA																	18 VIIIA
1 <b>H</b> 1.01	2 IIA											13 IIIA	14 IVA	15 VA	16 VIA	17 VIIA	2 <b>He</b> 4.00
3 <b>Li</b> 6.94	4 <b>Be</b> 9.01											5 <b>B</b> 10.81	6 <b>C</b> 12.01	7 <b>N</b> 14.01	8 <b>O</b> 16.00	9 <b>F</b> 19,00	10 <b>Ne</b> 20.18
11 <b>Na</b>	12 <b>Mg</b>	3	4	5	6	7	8	9	10	11	12	13 <b>Al</b>	14 <b>Si</b>	15 <b>P</b>	16 <b>S</b>	17 <b>Cl</b>	18 <b>Ar</b>
22.99 19 <b>K</b>	24.31 20 Ca	21 Sc	22 <b>Ti</b>	23 <b>V</b>	VIB 24 Cr	25 <b>Mn</b>	26 <b>Fe</b>	VIIIB 27 <b>Co</b>	28 Ni	1B 29 <b>Cu</b>	30 <b>Zn</b>	26.98 31 <b>Ga</b>	28.09 32 <b>Ge</b>	30.97 33 <b>As</b>	32.07 34 <b>Se</b>	35.45 35 <b>Br</b>	39.95 36 <b>Kr</b>
39.1 37 <b>Rb</b>	40.08 38 Sr	44.96 39 <b>Y</b>	47.88 40 <b>Zr</b>	50.94 41 <b>Nb</b>	52.00 42 <b>Mo</b>	54.94 43 <b>Tc</b>	55.85 44 <b>Ru</b>	58.93 45 <b>Rh</b>	58.69 46 <b>Pd</b>	63,55 47 <b>Ag</b>	65.39 48 <b>Cd</b>	69,72 49 <b>In</b>	72.61 50 <b>Sn</b>	74.92 51 <b>Sb</b>	78.96 52 <b>Te</b>	79.90 53 <b>I</b>	83.80 54 <b>Xe</b>
85.47 55	87.62 56	88.91 57	91.22 72	92.91 73	95.94 74	(98) 75	101.07 76	102.91 77	106.42 78	107.87	112.41 80	114.82 81	118.71 82	121,76 83	127.6 84	126.9 85	131.29 86
Cs 132.9 87	<b>Ba</b> 137.3	La* 138.9 89	Hf 178.5	Ta 180.9	W 183.9	Re 186.2	Os 190.2	Ir 192,2 109	Pt 195.1	Au 197.0	Hg 200.6	Tl 204.4	Pb 207.2	<b>Bi</b> 209	Po (209)	At (210)	<b>Rn</b> (222)
Fr (223)	Ra (226)	Ac^ (227)	<b>Rf</b> (261)	<b>Db</b> (262)	Sg (263)	Bh (264)	Hs (265)	Mt (268)	<b>Ds</b> (271)	<b>Rg</b> (272)							
			58	59	60	61	62	63	64	65	66	67	68	69	70	71	l
		*	Ce 140.1	Pr 140.9	Nd 144.2	Pm (145) 93	Sm 150.4	Eu 152.0	Gd 157.3	<b>Tb</b> 158.9	<b>Dy</b> 162.5	Ho 164.9 99	Er 167.3	Tm 168.9	Yb 173.0 102	Lu 175.0	
		^		Pa (231)	U 238.0	Np (237)	Pu (244)	<b>Am</b> (243)	<b>Cm</b> (247)	<b>Bk</b> (247)	<b>Cf</b> (251)	Es (252)	Fm (257)	Md (258)	No (259)	Lr (260)	

Name:		
Last	First	MI


# Grading Page (Exam 2):

Page	<b>Points Possible</b>	Points Earned
Multiple Choice (3-5)	30	
6	17	
7	18	
8	17	
9	18	
TOTAL	100	

#### **Multiple Choice**

Choose the one best answer for each of the following questions. Using a pencil, record this answer on the provided Scantron sheet. (2 points each)

1. Which of the following is the most stable chair conformation for the compound shown below?



2. What is the configuration at the chiral center in the molecule below?

- a. R-configuration
- b. S-configuration
- 3. What is the maximum number of stereoisomers for the compound shown below?

- a. Two
- b. Four
- c. Eight
- d. Nine
- e. Sixteen
- 4. Which one of the following leads to the most exergonic reaction?
  - a. A negative  $\Delta H$  and a negative  $\Delta S$ .
  - b. A positive  $\Delta H$  and a positive  $\Delta S$ .
  - c. A negative  $\Delta H$  and a positive  $\Delta S.$
  - d. A positive  $\Delta H$  and a negative  $\Delta S.$

5. Consider the partial reaction mechanism shown below. Which of the following has the correct mechanistic arrows?

a 
$$OH_2 + Br^{\bigcirc} + H_2O$$

$$b \qquad \stackrel{\text{ii}}{\longrightarrow} \qquad \stackrel{\text{ii}}{\longrightarrow} \qquad \stackrel{\oplus}{\longrightarrow} \qquad + \text{H}_2O$$

c 
$$OH \longrightarrow OH_2 + Br \bigcirc OH_2 + H_2O$$

d 
$$OH \longrightarrow OH_2 + Br^O \longrightarrow H_2O$$

6. What mechanistic step(s) is/are represented in the reaction shown below?

- a. Proton transfer
- b. Nucleophilic attack
- c. Loss of a leaving group
- d. Nucleophilic attack & loss of a leaving group
- e. Electrophilic attack

7. Which Newman projection below is an anti conformation?

### For questions 8-11, determine whether each molecule is:

(a) Chiral, (b) Achiral, or (c) Meso-Achiral

Bubble these answers in on your Scantron sheet for credit!

## For questions 12-15, determine whether each pair of molecules represent:

**(a)** Identical Compounds, **(b)** Constitutional Isomers, **(c)** Enantiomers, or **(d)** Diastereomers *Bubble these answers in on your Scantron sheet for credit!* 

14. Br Cl and H Br 
$$CH_3$$
  $H_3C$  Cl

#### **Completion Section**

Answer the remaining questions in the spaces provided. Show all work and provide complete explanations.

16. Provide IUPAC systematic names for each compound shown below. Include *R/S* only where appropriate. (*3 points each*)

a.

b.

$$CH_2CH_3$$
 $H \longrightarrow Br$ 
 $H \longrightarrow CH_3$ 
 $CH_2CH_3$ 

17. Label each alkene below as *E*, *Z*, or neither. (1 point each)

18. Using the template provided, convert the structure shown below to a Fischer projection then draw the enantiomer of your Fischer projection. (4 points)





#### Enantiomer

19. Determine the degree of unsaturation present in each formula or structure shown below. (1 point each)





C<sub>6</sub>H<sub>12</sub>


C<sub>5</sub>H<sub>13</sub>NO

20. Label the major form(s) of strain (angle, torsional, steric) present in the provided conformation of each compound shown below. (1 point each)


21. Convert the molecule shown below to a Newman projection viewing along the indicated bond. (4 points)


22. **a.** Draw the highest energy Newman projection about the C1-C2 bond of 1-bromopropane. (3 points)

- **b.** If the relative energy of the above conformation is 5.1 kcal/mol, what is the energy cost associated with a Br/CH<sub>3</sub> eclipse? (1 point)
- 23. Draw both chair conformations for the compound shown below using the templates provided. Put the –CH<sub>3</sub> on the carbon highlighted with the gray circle and orient your other groups based on that reference point. <u>Circle the chair conformation that is lowest in energy.</u> (5 points)




- 24. Draw a chair conformation that meets the following criteria: (2 points)
  - Axial OH at C1
  - Equatorial CH<sub>3</sub> at C5
  - Br at C2 that is *trans* to CH<sub>3</sub>











b.




C.



26. Label each mechanistic step below as a Nu attack, proton transfer, loss of leaving group, or carbocation rearrangement. (3 points)




27. Determine whether the indicated atom in each species shown below will act as a nucleophile, electrophile, or both. (1 point each)





28. Show two different rearrangement products for the carbocation shown below. Circle the rearrangement product that is preferred (more likely to form). (4 points)



29. For the reaction shown below, what is the sign (+ or -) for the entropy term ( $\Delta S$ )? (1 point)





**+**∆S

or  $-\Delta S$ 

- 30. Consider the molecule ephedrine shown below and answer the following questions. (9 points)

  OH ... a. What is the maximum number of stereoisomers?
  - OH HN
  - **b.** Draw the 1R,2S stereoisomer.

**c.** Draw the enantiomer of the stereoisomer from b.

- **d.** Draw a diastereomer of the stereoisomer from part b.
- **e.** Explain exactly what a bottle of racemic ephedrine would contain.

31. Draw an optically active and optically inactive stereoisomer for the compound shown below. (4 points)

optically active

optically inactive

32. Identify every chiral center in Vitamin D (shown below) using an asterisk(\*). (3 points)

33. Draw the enantiomer of the chair cyclohexane shown below. You must draw the enantiomer as a chair! (2 points)