
## Example problem: Conservation of energy






## Springs: Hooke's law

The force a spring provides to an attached object is proportional to the amount that the spring is stretched or compressed from its equilibrium position. The force pulls/pushes the object back towards the equilibrium position (minus sign).

Hooke' law:  $F_s = -kx$ 

k is the spring constant (unit: N/m). It is small for flexible spring and large for stiff springs.




Hooke's law is not always valid:

If you stretch a spring too much (elastic limit), the restoring force will no longer be linearly proportional to the extension, x.



The spring force always acts toward the equilibrium point, which is at x = 0 in this figure.



## Spring potential energy

Hooke's law:  $F_s = -kx$ 

The spring force is conservative.

Thus, a potential energy - the spring potential energy, PEs - can be associated with it.

In order to calculate PE<sub>s</sub> we have to determine the work done by the spring:

 $W = F\Delta x$  This equation is only valid for constant forces, but F<sub>s</sub> depends on x, i.e. is not constant.

Therefore, we have to calculate the *average* force, when stretching the spring from its equilibrium position to x. This force can be treated as effectively constant.

$$\bar{F}_s = \frac{F_0 + F_1}{2} = \frac{0 - kx}{2} = -\frac{kx}{2}$$
With  $\Delta x = x$  this yields:  $W_s = -\frac{1}{2}kx^2 \rightarrow PE_s = \frac{1}{2}kx^2$ 



## Work-Energy Theorem

Including the spring potential energy the Work-Energy Theorem is:

$$W_{nc} = (KE_f - KE_i) + (PE_{gf} - PE_{gi}) + (PE_{sf} - PE_{si})$$
Change of
kinetic energy
Change of
gravitational
potential energy
Change of spring
potential energy


If non-conservative forces, e.g. friction, can be neglected, the mechanical energy is conserved:

$$0 = (KE_f - KE_i) + (PE_{gf} - PE_{gi}) + (PE_{sf} - PE_{si})$$
$$\rightarrow (KE + PE_g + PE_s)_i = (KE + PE_g + PE_s)_f$$

Generally, the total energy of a given system is always conserved. Energy is only transformed from one form to another. However, if non-conservative forces matter, energy will be transformed to e.g. heat, which cannot be easily transformed back to kinetic or potential energy.



#### Illustration - Hooke's law






# One oscillation cycle

Maximum displacement	m	$\mathbf{F_x} = \mathbf{F_{max}}$ $\mathbf{a} = \mathbf{a_{max}}$ $\mathbf{v} = 0$
Equilibrium	WARRANG MI	$F_{x} = 0$ a = 0 $v = v_{max}$
Maximum displacement	Protocol 1992	$F_{x} = F_{max}$ $a = a_{max}$ $v = 0$
Equilibrium	THE GENERAL PROPERTY.	$F_x = 0$ a = 0 $v = v_{max}$
Maximum displacement		$F_{x} = F_{max}$ $a = a_{max}$ $v = 0$

This is an x-t diagram for an object attached to an oscillating spring. Friction is neglected, i.e. there are no non-conservative forces.




At which of the following times does the object have the most negative velocity,  $v_x$ ?

A. 
$$t = T/4$$
  
B.  $t = T/2$   
D.  $t = T$ 



This is an x-t diagram for an object attached to an oscillating spring. Friction is neglected, i.e. there are no non-conservative forces.

$$PE_s = \frac{1}{2}kx^2$$



At which of the following times is the potential energy of the spring the greatest?


A. $t = T/8$	B. $t = T/4$
C. $t = 3/8 T$	D. t = $T/2$

E. More than one of the above.



This is an x-t diagram for an object attached to an oscillating spring. Friction is neglected, i.e. there are no non-conservative forces.

$$KE = \frac{1}{2}mv^2$$




At which of the following times is the kinetic energy of the object the greatest?

A. $t = T/8$	B. $t = T/4$
C. t = 3/8 T	D. t = $T/2$

E. More than one of the above.



## Example problem: Vertical Springs



When a 2.5 kg object is hung vertically on a certain light spring, the spring stretches to a distance  $y_0$ . What **force** does the spring apply to the object?

Free Body Diagram


If the string stretches 2.76 cm, what is the force constant of the spring?

What is the force if you stretch it 8 cm?





#### Example problem: Vertical Springs




A 2.5 kg object is hung vertically on a certain light spring with spring constant k=888N/m.

Free Body Diagram

How much work must an external agent do to stretch the same spring 8.00 cm from its unstretched position?




#### Irreversible processes



A ball easily rolls down a hill and heats up via friction while going downhill.

Its energy is transformed from potential to kinetic energy and finally to heat.



A hot ball at rest at the bottom of a hill does not start moving uphill, while cooling down.

Its energy is not transformed from heat to kinetic energy and finally to potential energy.

No energy is lost. It just cannot be transformed back from heat to potential energy.



#### Roller coasters



Riding a roller coaster is a typical application of energy conversation (neglecting friction).

Potential energy is transformed into kinetic energy and vice versa.


$$KE_i + PE_{gi} = KE_f + PE_{gf}$$



http://www.pbslearningmedia.org/resource/ hew06.sci.phys.maf.rollercoaster/energy-in-a-roller-coaster-ride/

WEST VIRGINIA UNIVERSITY Physics

#### Example problem: Rollercoaster



A 1000 kg roller coaster car moves from point A to B and to C. Its initial velocity is 0 m/s. Neglect all non-conservative forces, e.g. friction.

- A. What is its potential energy at points A, B, C?
- **B**. What is its speed and kinetic energy at A, B, C?
- C. What is its total energy at A, B, C?



An athlete jumping vertically on a trampoline leaves the surface with a velocity of 8.5 m/s upward.

What maximum height does he reach?

- A. 13 m B. 2.3 m
- C. 3.7 m D. 0.27 m
- E. The answer cannot be determined because the mass of the athlete is not given.





WEST VIRGINIA UNIVERSITY Physics

#### Power

Power is the rate at which energy is transformed from one type to another:

Average power:  $\bar{P} = \frac{W}{\Delta t}$  Power is a scalar quantity.

Unit:  $1W = 1J/s = 1kg \cdot m/s^2 \cdot m \cdot s^{-1} = 1kg \cdot m^2/s^3$ 

Alternative expression for power:

 $W = F \cdot \Delta x$  if F is parallel to  $\Delta x$ .

$$\rightarrow \quad \bar{P} = F \cdot \frac{\Delta x}{\Delta t} = F \bar{v}$$






## Example problem: Power

A shot-putter accelerates a 7.3-kg shot from rest to 14 m/s.

If this motion takes 2.0 s, what average power was produced?







Weightlifter A lifts a 100-kg weight to a height of 2.5 m above the ground in 1.0 s. Weightlifter B lifts a 75-kg weight to a height 2.5 m above the ground in 0.5 s. Which of the two weightlifters uses more power to lift the weights?

A. A

B. B

C. They both use the same amount of power.

D. Impossible to determine.






#### Horsepower - An alternative unit of Power

When James Watt invented the steam engine, he needed a large power unit to rate the output power of his new invention. He chose a standard horse.

#### $1 \,\mathrm{hp} = 746 \,\mathrm{W}$





¥

WEST VIRGINIA UNIVERSITY Physics

#### Kilowatt-hour: A unit of energy

When you read your electricity bill, it will tell you how many kilowatt-hours (KWHRS, kWh) you consumed.

What does that mean?

1 kWh is the energy consumed in 1 hour at the constant rate of 1 W.

 $1 \, kWh = (10^3 \, W) \cdot (3600s)$  $= (10^3 \, J/s) \cdot (3600s) = 3.6 \cdot 10^6 \, J$ 

kWh is a unit of energy, not power!

	Comm	ionwealth i	Laison			
	Post Office	Box 784				
V	Chicago, Illi	inois 60690	1	DUE DA	TE JUNE 16	1988
2	ELECTRIC SE	RVICE BILL	D E I	NOH DU		
RECEIVED JUN - 3 1988		18	T			
			A I C		142,999.52	
EVANSTON IL 60204			ні	AFTER 6-16-88 PAY \$ 143,1		
			HIE			
			RI		THIS PORTION WI	
	SERVICE /	ADDRESS	E	ALLOW	5 DAYS FOR MAIL	DELIVERY
	CHICAGO					
					0000000	
	ACCOUNT N	NUMBER	1			
					DETACH HERE	
DATE OF BILL					Perment mene	
	Г	TOTAL BILL	\$ 142,95	9.52		
FOR SERVICE FROM TO		PAST DUE AFTER	6-1	6-88		
-06-88 5-05-8	58	AFTER 6-16-88				
	L	AFTER 0-10-00	· · · · · · · · · · · · · · · · · · ·	0.02		
					CUSTOMER COP	Y
RATE 6L RIDE					overen our	
N 3					oon on the oon	
N 3	. SERVICE - TI					
N 3	. SERVICE - TI CUSTOMER CHAR		249.8 KH	•	484.60 2605.41	
N 3 LARGE GENERAL MONTHLY DEMAND C PEAK ENEI	SERVICE - TI CUSTOMER CHAR HARGE RGY CHARGE	GE	35856 KWHRS		484.60 2605.41 1818.26	
N 3 LARGE GENERAL MONTHLY DEMAND C PEAK ENEI OFF-PEAK	SERVICE - TI CUSTOMER CHAR CHARGE	GE E	249.8 KH 35856 KHHRS 52944 KHRRS 13809 KHRRS	:	484.60 2605.41	
N 3 LARGE GENERAL MONTHLY DEMAND C PEAK ENEI OFF-PEAK	SERVICE - TI CUSTOMER CHAR HARGE RGY CHARGE ENERGY CHARG D. ENERGY CHA	GE E	35856 KWHRS 52944 KWHRS	:	484.60 2605.41 1818.26 1067.35	
N 3 LARGE GENERAL MONTHLY DEMAND C PEAK ENEI OFF-PEAK NON-T.O.	SERVICE - TI CUSTOMER CHAR HAROE RGY CHARGE E. ENERGY CHARG D. ENERGY CHA SERVICE	GE E	35856 KWHRS 52944 KWHRS 13809 KWHRS	:	484.60 2605.41 1818.26 1067.35 453.07	
N 3 LARGE GENERAL MONTHLY DEMAND C PEAK ENE OFF-PEAK NON-T.O. SPACE HEATING METER RENTAL I STATE TAX	SERVICE - TI CUSTOMER CHAR HAROE RGY CHARGE E. ENERGY CHARG D. ENERGY CHA SERVICE	GE E	35856 KWHRS 52944 KWHRS 13809 KWHRS	:	484.60 2605.41 1818.26 1067.35 453.07 4480.34 483.65 579.88	
N 3 LARGE GENERAL MONTHLY DEMAND C PEAK ENE OFF-PEAK NON-T.O. SPACE HEATING METER RENTAL	SERVICE - TI CUSTOMER CHAR HAROE RGY CHARGE E. ENERGY CHARG D. ENERGY CHA SERVICE	GE E	35856 KWHRS 52944 KWHRS 13809 KWHRS	:	484.60 2605.41 1818.26 1067.35 453.07 4480.34 483.65	
N 3 LARGE GENERAL MONTHLY DEMAND C PEAK ENE OFF-PEAK NON-T.O. SPACE HEATING METER RENTAL I STATE TAX	SERVICE - TI CUSTOMER CHAR HAROE RGY CHARGE E. ENERGY CHARG D. ENERGY CHA SERVICE	GE E	35856 KWHRS 52944 KWHRS 13809 KWHRS		484.60 2605.41 1818.26 1067.35 453.07 4480.34 483.65 579.88	
N 3 LARGE GENERAL MONTHLY / DEMAND C PEAK ENE OFF-PEAK NON-T.O.] SPACE HEATING METER RENTAL I STATE TAX CITY TAX	SERVICE - TI CUSTOMER CHAR HAROE RGY CHARGE E. ENERGY CHARG D. ENERGY CHA SERVICE	GE E	35856 KHHRS 52944 KHHRS 13809 KHHRS 109920 KHHRS	1	484.60 2605.41 1818.26 1067.35 453.07 4480.34 483.65 579.88 513.86 2486.42 0513.10	

RATE INFORMATION IS AVAILABLE AT ANY OF OUR OFFICES



## Get a feeling for the value of energy

#### How many hamsters running on wheels would it take to provide enough power for a house?

Let's assume a hamster weighing 50 grams can run up a 30-degree slope at 2 m/s.



120 hamsters to keep a 60-watt bulb lit

Average hamster probably spends ~5 % of its life running, so we would need 2,400 hamsters just for lightbulb

The average household needs a constant power consumption of about ~2.5 kW. Each house would need ~100,000 hamsters.




## **S**ummary

• If non-conservative forces can be neglected, the sum of potential and kinetic energy will be conserved.

• 
$$KE_i + PE_{gi} = KE_f + PE_{gf}$$

• Typical problems that can be solved by energy conservation: Rollercoasters, Pendulums, Jumping.



• Power is defined as the rate of energy transfer with time (scalar quantity):

$$\bar{P} = \frac{W}{\Delta t} = F\bar{v}$$
 Unit: 1 W = 1 J/s

- 1 horsepower is an alternative unit for power (non SI-unit): 1 hp = 746 W
- 1 kilowatt-hour is a unit for energy. It is the energy consumed within 1 hour at the rate of 1 W:  $1 kWh = 3.6 \cdot 10^6 J$



## Example problem: Horsepower

An advertisement claims that a certain 1200 kg car can accelerate from rest to a speed of 25 m/s in a time of 8.0 s. What power (in units of horsepower) must the motor produce in order to cause this acceleration?

Ignore losses due to friction. (1 hp=746 W)





#### Example problem: Cost of Energy

What is the cost of forgetting to turn off your bathroom light for the day?

Let's say you have three 75W bulbs in this light and you are gone for 12 hours.

Electricity costs about \$0.10 per kWh.





WEST VIRGINIA UNIVERSITY Physics